



DARSHAN PANEL

WE PROVIDE ALL SAFETY NET MANUFACTURING SERVICES, REMOVING. FIXING. MATERIAL
SUPPLIER

ADD:- GROUND FLOOR PLOT NO 119 BHAWANI PETH DNYANJYOTI SAVITRIBAI PHULE
AUDITORIUM NEW TIMBER MARKET,PUNE - 411042

CONTACT NO: **9890088301**

MAIL ID darshanpanel9@gmail.com

IMAGES	DECIPTION	GST %	RATE
	2.5 MM braided 35 mm + Monofilament type Safety net With MTC ❖ Border & tie Cord Rope : 12 mm Maxima IS14929: 2001 ❖ Inside Twine / Mesh Twine : 2.5mm braided HDPE Twine ❖ Mesh Size 35mm X 35mm Square ❖ Second layer : Monofilament UV stabilized net with Welding / grinding splatter resistance 120 GSM Green ❖ Fabricating : heat treated machine made ❖ Size Of Panel : 5 Mtr x 10 Mtr / 6 Mtr X 10 Mtr	5%	135/-
	2.5 MM braided 50 mm + Monofilament type Safety net With MTC ❖ Border & tie Cord Rope : 12 mm Maxima IS14929: 2001 ❖ Inside Twine / Mesh Twine : 2.5mm braided HDPE Twine ❖ Mesh Size 50mm X 50mm Square ❖ Second layer : Monofilament UV stabilized net with Welding / grinding splatter resistance 120 GSM Green ❖ Fabricating : heat treated machine made ❖ Size Of Panel : 5 Mtr x 10 Mtr / 6 Mtr X 10 Mtr	5%	110/-

	TUFF 2.5 MM braided Single Layer 35 mm ❖ Border & tie Cord Rope : 12 mm Maxima IS14929: 2001 ❖ Inside Twine / Mesh Twine : 2.5mm braided HDPE Twine ❖ Mesh Size 35mm X 35mm Square ❖ Fabricating : heat treated machine made ❖ Size Of Panel : 5 Mtr x 10 Mtr / 6 Mtr X 10 Mtr	5%	112/-
	4MM KNOTTED TRIPLE LAYER SAFETY NET Machine made ❖ Border & Tie Cord : P.P .Rope Dia 12 mm IS 5175: 1992 ❖ Mesh / Inner Rope : P.P. Rope Dia 4 mm IS 5175:1992 ❖ Mesh Size : 135mm x 135mm sq. / 5" x 5" Square ❖ Second Layer : Overlay HDPE Blue NET UV Stabilized 9 ply (3*3) ❖ Third Layer : Monofilament UV Stabilized Net Red / Green ❖ Fabricating : Knottrd Type ❖ Tie Cord & Handle " Tie Cords 1.5 metre Long at four corners and 1 meter long at Every 2.5metre Standards : As Per IS:11057:1982 ❖ Standards Size 5 Mtr x 10 Mtr / 6 Mtr x 10 Mtr	5%	105/-
	4mm Knotted Type of Safety Net Machine made ❖ Border & Tie Cord : P.P. Rope Dia 12 mm IS 5175:1992 ❖ Mesh / Inner Rope : P.P. Rope Dia 4 mm IS 5175:1992 ❖ Mesh Size : 125mm x 125mm Sq. / 5" x 5" Square ❖ Second Layer : HDPE Monofilament ❖ Fabricating : Hand Made Knotted Type ❖ Tie Cord & Handle : Tie cords 1.5 meter long at four corners and 1 meter long at every 2.5 meter Standards : As per IS:11057:1982 ❖ Standard Size : 5Mtr x 10Mtr / 6Mtr x10 mtr	5%	140mm 75/- 100mm- 85/-

	4mm Knotted Type of Safety Net machiemade ❖ Border & Tie Cord : P.P. Rope Dia 12 mm IS 5175:1992 ❖ Mesh / Inner Rope : P.P. Rope Dia 4 mm IS 5175:1992 ❖ Mesh Size : 125mm x 125mm Sq. / 5" x 5" Square ❖ Second Layer : 280 Denier / 0.75 HDPE Blue Net UV Stabilized 3*3Ply fishnet with Mesh size - 16- 20 mm Sqmesh. ❖ Fabricating : Hand Made Knotted Type ❖ Tie Cord & Handle : Tie cords 1.5 meter long at four corners and 1 meter long at every 2.5 meter - Standards : As per IS:11057:1982 ❖ Standard Size : 5Mtr x 10Mtr / 6Mtr x10 mtr	5%	100mm 75/- 140mm 68/-
	P.P. Rope: ❖ Kohinoor Make isi ❖ Size 12mm	12%	180/-

	❖ Beam Bracket MS C Channel 100 x 50 x 5mm MS Angle 35 x 35 x 5mm MS Patti 40 x 5mm MS Square pipe 25 x 25mm 16 Gauge Total Weight 8 Kg +	18%	900/-
	❖ Slab Bracket MS C Channel 100 x 50 x 5mm MS Angle 35 x 35 x 5mm MS Patti 40 x 5mm MS Square pipe 25 x 25mm 16 Gauge Total Weight 8 Kg+	18%	900/-
	❖ U Clamp MS Flat Patti 20 x 5 mm Size 2"	18%	25/-
	❖ Anchor Fastener Power Company Fastener Size 12*100 10*75	18%	28/-

	❖ MS Round Pipe 50mm round 14 gauge 6 Mtr length	18%	1050/-
--	--	-----	---------------

LABOUR RATE INDEX

	PERTICULARS			RATE	UNIT
1	SAFETY NET REBAR FIXING			3.25	PER SQFT
2	SAFETY NET REABR REMOVING			2.25	PER SQFT
3	SAFETY NET FIXING BEAM BRACKET			4	PER SQFT
4	SAFTY NET REMOVING BEAM BRACKET			3	PER SQFT
5	SAFETY NET CLEANING			1.75	PER SQFT

Thank you

(darshan panel)